

GROW HEALTHY BABIES

INDEX

A

- absolute risk, 12–13, 225–228
- acetate, 35–36, 46–47, 80–81
- adrenal glands, 37, 183–184
- air fresheners, 162–163
- ALA (alpha-linolenic acid), 94, 143
- alcohol consumption, 45
- Alexander, Albert, 148–149
- algae, 94
- allergies and atopic diseases, 19–28. *See also*
 - asthma; eczema
 - allergic rhinitis, 23–24, 52, 140, 152, 183
 - antibiotic use and, 218–219. *See also*
 - antibiotics
 - asthma. *See* asthma
 - biggest effect on risk for, 233–243
 - breastfeeding and, 201. *See also*
 - breastfeeding
 - causes of, 24–28
 - C-sections and, 183
 - dairy consumption and, 102
 - development of, 24–27
 - eczema. *See* eczema
 - fish oil and, 142. *See also* fish oil; omega-3 fatty acids
 - food allergies. *See* food allergies
 - infant formulas and, 211–212
 - lifestyle choices and, 217–222
 - nutrient deficiencies during pregnancy and, 229–231
 - probiotics and, 139–141
 - supplements and, 121
 - symptoms and prevalence of, 23–24
 - weaning and, 213–214
 - yoghurt, fermented foods and, 81
- Alpha1H, 202
- alpha-tocopherol (vitamin E), 136–137
- American Academy of Pediatrics (AAP), 66, 153, 210
- American Contact Dermatitis Society, 167
- American Heart Association, 100
- anaphylactic shock, 23–24, 139–140
- animals
 - contact with, 49–50, 221, 242–243
 - farming, antibiotics in, 147–149
- ankyloglossia (tongue-tie), 206–207
- antibacterial products, 163–164
- antibiotics, 51–74
 - in animal farming, 147–149
 - antibiotic resistant bacteria, 52, 70, 148
 - for bacterial vaginosis (BV), 56–58
 - during breastfeeding, 60–66
 - broad-spectrum, 51–52
 - for children, 2, 66–69
 - C-sections and, 184–185
 - for endometritis, 60–61
 - for Group B *Streptococcus*, 54–56
 - for mastitis, 62–64
 - microbiome, threat to, 51–54
 - overuse of, 51–54
 - penicillin, 148–149
 - probiotics and, 66, 69–75
 - risk of atopic disease and, 218–219, 233–234
 - side effects of, 70

for surgical site infections, 61–62
for urinary tract infections (UTI), 58–60

antioxidants
in avocados, 89–90
in coconut oil, 104
“eating the rainbow,” 118
in honey and maple syrup, 113–114
microbiome and, 88–89
in nuts, 90
organic foods and, 121, 150, 158

anxiety and depression, 3, 21–22, 38–39, 174

arachidonic acid (ARA), 92, 211

artificial fats and trans fats, 86–87, 104–105

artificial sweeteners, 113–117

The Art of Fermentation (Sandor Katz), 83, 142

ascorbic acid (vitamin C), 58, 130

asthma
breastfeeding and, 201
C-sections and, 183–184
development of, 24–27, 233–243
fatty acids and, 93
infant formulas and, 211
iron and, 128–129
lifestyle choices and, 217–222
nutrient deficiencies during pregnancy and, 229–231
organic foods and, 158–159
pesticides and, 152
spray cleaners and, 162
symptoms and prevalence of, 20–21
vitamin D and, 127
vitamin E and, 137
zinc intake and, 131–132

atopic diseases. *See* allergies and atopic diseases

autoimmune diseases, 26, 33, 35, 126

avocados, 89–90, 118

B

babies. *See also* birth choices
allergies and atopic diseases, 19–28. *See also* allergies and atopic diseases
antibiotics and, 51–74. *See also* antibiotics
baby care products, 166–168, 176–178
breast milk donors, 210
developing taste buds, sugar and, 119–120
diapers for, 167–168, 178

epigenetics and, 39–46
fish oil for, 95–96, 142–143
formula-feeding, 203–205, 221, 241–242
immune system development, 19–74, 198–200
microbiome development in, 29–50, 183–185. *See also* microbiome
organic foods, benefits of, 147–159. *See also* organic and eco-products, benefits for babies
pesticides, effects on, 151–152
probiotics and, 215–216
SCFA's and, 80
solid foods for, 213–216
vernix, 176–177
weaning, 34, 213–216
yoghurt and, 81–82

Bacillus thuringiensis (Bt), 153

bacteria. *See also individual types by name*
antibacterial cleaners and, 163–164
bad bacteria, 32, 35, 45, 111, 199. *See also* antibiotics
diversity of, 49–50
eczema and, 22
good bacteria. *See* good bacteria
lactic acid bacteria, 32. *See also Bifidobacteria; Lactobacilli*
in soil. *See* dirt and bacterial diversity
T helper cells (Th cells) and, 27

bacterial vaginosis (BV), 56–58

Bacteroides, 34

Bifidobacteria, 32–34, 37–39, 68, 138, 211

The Big Fat Surprise (Nina Teicholz), 100

Bilophila wadsworthia (*B. wadsworthia*), 102

BioCare Liquid Methylfolate, 125

birth choices, 181–196

author's birth story, 193–196
babies' health and, 221
birth plans, 186–189
caesarean vs. vaginal birth, 182–186
doulas, 187–189
home births, 181, 192–193
sample birth plan, 189–192
seeding, 185–186

birth companions, 187–189

birth plans

importance of, 186–189
sample, 189–192

birth preparation classes, 186–187

- Blake, Mariah, 44
- blood sugar, 109–110, 117–119
- body fat, 111–112
- BPA plastics, 43–44
- brain development
 - baby care products and, 167
 - breastfeeding and, 202
 - choline and, 134–135
 - DHA and, 95
 - infant formulas and, 211
 - iodine and, 133
 - iron and, 129
 - microbiome effects on, 36–39
 - pesticides and, 152
- breastfeeding, 197–216
 - antibiotics during, 60–66
 - babies' immune systems and, 198–200
 - brain development and, 202
 - breast milk. *See* breast milk
 - breast milk donors, 210
 - choline intake, 135
 - Concorde method, 208–210
 - DHA, 98–99, 143
 - getting help with, 205–210
 - health benefits of, 220–221
 - iodine intake, 133
 - iron intake, 129
 - laughter and, 198
 - microbiome development and, 200–201
 - other feeding options, 210–213. *See also* formula-feeding
 - risk of atopic disease and, 239–241
 - thymus gland and, 33–34
 - vitamin E intake, 137
 - weaning and solid foods, 213–216
 - zinc intake, 132
- breast milk, 119–120, 177–178, 197–198, 200–201, 210
- bronchitis, 66
- Bt (*Bacillus thuringiensis*), 153
- butyrate, 35–36, 45–47, 80–81
- BV (bacterial vaginosis), 56–58
- C**
- caesarean vs. vaginal birth, 182–186
- cancer
 - breastfeeding and, 202
 - douching and, 57
 - epigenetics and, 43–46
 - Mediterranean diet and, 80
 - microbiome and, 30, 35
 - MUFA and, 89–90
 - pesticides and, 152
- Candida*, 2, 111, 177
- canola/rapeseed oil, 90–91
- carbohydrates, 34, 108–109
- Cargill, Inc., 151
- case-control studies, 9–11
- celiac disease, 92, 201, 213, 221
- Centre for Science and Environment, 157
- Chaplin, Charlie: *Modern Times*, 198
- chemicals, avoidance of, 147–178
 - cleaning products, cosmetics, and effects on health, 161–178. *See also* cleaning products; cosmetics
 - organic and eco-products, benefits for babies, 147–159. *See also* organic and eco-products, benefits for babies
- cholesterol, 104, 114
- choline, 134–136
- chronic illnesses. *See also* allergies and atopic diseases
 - breastfeeding and, 197, 200–202
 - in children, 13
 - development of, 24–28, 31–36, 43–50, 52
 - diet, lifestyle and, 6–9, 220, 222
 - fatty acids and, 92–95, 98
 - organic foods and, 158
 - sugar and, 107–120. *See also* sugar supplements and, 121–122, 127
- “Clean Fifteen” foods, 157
- cleaning products, 161–178
 - baby care products, 166–168, 176–178
 - choosing better products, 168–173
 - cleaning and cosmetics recommendations, 175–176
 - DIY products, 172–173
 - essential oils, 174–175
 - personal care products, 165–166
 - products that pollute, 161–165
 - risk of atopic disease and, 219, 234–235
 - sprays, 161–162
- cleanliness, 27, 221, 242–243. *See also* dirt and bacterial diversity
- Clorox Corp., 169–170
- Clostridia*, 34, 111, 114

Clostridium difficile (*C. difficile*), 70–72, 117
coconut oil, 103–104, 177–178
cohort studies, 10–11
colds, 27, 46–47, 67–69, 126, 141
Concorde method, 208–210
coronavirus, 163
corticosteroids, 20, 22
cosmetics, 165–169, 171–173, 175–176, 219
COVID-19, 163
cranberry juice, 59–60
Cryan, John, 36
C-sections
 birth plan for, 191–192
 endometritis and, 61
 microbiome development and, 31, 184–185
 seeding method, 184–185, 221
 surgical site infections, 61–62
 vaginal birth vs., 181–186, 188
The Cultured Club (Dearbhla Reynolds),
 82–83, 142
cytokines, 103, 111–112, 199

D

dairy consumption, 24, 99–102, 104, 136, 150,
 214–215. *See also* yoghurt
depression and anxiety, 3, 21–22, 38–39,
 144, 174
DHA (docosahexaenoic acid), 94–96, 98–99,
 142–144, 211
diabetes, 112–113, 116, 127, 202
diapers, 167–168, 178
diarrhoea, 70–71
diet, 2–4, 7, 238–239. *See also* foods;
 Mediterranean diet
dirt and bacterial diversity, 49–50, 158, 178,
 221, 242–243
“Dirty Dozen” foods, 156–157
DIY cleaning and personal care products,
 172–173
DNA methylation, 41–43, 124
douching, 56–57
doulas, 187–189
Dr. Bronner’s Pure-Castile soaps, 175–176
dust allergies, 23–24, 52, 140, 183
Dutch Association of Lactation Consultants,
 207
dysbiosis, 31
dysentery, 68

E

E. coli. *See* *Escherichia coli*
ear infections, 67–68, 200
eco-products, 146–178. *See also* cleaning
 products; cosmetics; organic and eco-
 products, benefits for babies
Ecover products, 176
eczema
 biggest effect on risk for, 233–243
 breastfeeding and, 201
 coconut oil for, 177–178
 development of, 24–26
 infant formulas and, 211–212
 lifestyle choices and, 5–6, 217–222
 nutrient deficiencies during pregnancy and,
 229–231
 omega-3 fatty acids, fish oils and, 95, 142
 probiotics and, 138
 symptoms and prevalence of, 21–23
 vitamin D and, 127
 yoghurt and, 81
endometritis, 60–61
enteric nervous system (ENS), 36–37
Environmental Working Group
 “Clean Fifteen” fruits and vegetables, 157
 “Dirty Dozen” fruits and vegetables, 156–
 157
 Healthy Living app, 172
 product safety ratings, 170, 176
EPA (eicosapentaenoic acid)
 sources of, 94, 143–144
 as treatment for depression, 144
epigenetics
 alcohol consumption and, 45
 BPA plastics and, 43–44
 defined, 39–41
 DHA and, 95–96
 DNA methylation, 41–43, 124
 histone modification, 41–43
 microbiome and, 39–46
 smoking and, 44–45
Escherichia coli (*E. coli*), 32–33, 58, 60, 117
essential fatty acids, 91, 197
essential oils, 174–175
estrogens, 212–213
extra-virgin olive oil, 88–89. *See also* olive oil

F

farmers' markets, 157

farming, antibiotics and, 147–149

fat cells, 112

fats and fatty acids, 85–105

artificial and trans fats, 104–105

in breast milk, 197

cheat sheet for, 87

fish as source of omega-3s, 96–99

function of, 85–86

good, 118

in infant formula, 211

monounsaturated fats (MUFA), 88–91

omega-3 fatty acids. *See* omega-3 fatty acids

omega-6 fatty acids, 86–87, 90–96

polyunsaturated fats (PUFA), 86–87, 90–96

saturated fats, 99–104

short-chain fatty acids (SCFAs), 35–36,
46–47, 80–81

sugar and, 110

feeding good bacteria, 77–83. *See also* good
bacteria

dietary fibre, 77–81

yoghurt and fermented foods, 81–83

fermented foods, 81–83, 102, 142, 220. *See
also* yoghurt

fertility problems, 125, 162, 213

fibre

added fibre, 79–80

after C-sections, 62, 185

asthma and, 140

blood sugar and, 118

in breast milk, 200

in complex carbohydrates, 109, 111

as food for beneficial bacteria, 38–39

food groups containing, ranking of, 78–79

in infant formulas, 79–80, 211–212

insoluble fibre, 78

iron absorption and, 130

microbiome and, 34–35, 77–83

risk of atopic disease and, 235–238

soluble fibre, 78

in supplements, 219–220

fish, 94–99

farmed fish, 148

high-DHA fish, 98–99

pollution of, 96–98

wild vs. farmed, 96–97

fish oil. *See also* omega-3 fatty acids

DHA and, 95

from fish consumption, 94–99

risk of atopic disease and, 235–238

in supplements, 142–144, 219

Fleming, Alexander, 148

Florey, Howard, 149

folate (vitamin B9), 122–126

food sources of, 126

MTFHR mutation, 123–126

neural tube development and, 123–124

folic acid, 124–125, 219

food additives, 85, 117

food allergies

allergic rhinitis and, 23–24

biggest effect on risk for, 233–243

C-sections and, 183

development of, 24–27

fish oil and, 95, 142

gestational diabetes and, 113, 127

most common, 24

prebiotic fibre and, 183

probiotics and, 139–140

treatment of, 139–140

foods. *See also* Mediterranean diet; organic
and eco-products, benefits for babies

choices, risk of atopic disease and, 238–239

choline, sources of, 135–136

“Clean Fifteen,” 157

cost of, 155–159

DHA, sources for, 143

“Dirty Dozen,” 156–157

eating the rainbow, 118

from farmers' markets and independent
farmers, 157

as folate sources, 126

foodborne pathogens, 48

grow your own, 158

healthy choices in, 220

iodine, sources of, 133–134

iron, sources of, 130–131

junk foods, 107–108

pesticides and, 151–155

solid foods for babies, 34, 213–216

sweet treats, 118–119

vitamin E, sources of, 137

for weaning, 214–216

zinc, sources of, 132

formaldehyde, 165–167, 171, 173

formula-feeding

babies' developing taste buds and, 119–120
compared to breastfeeding, 203–205
healthy choices for, 210–212
hydrolysed formula, 212
hypoallergenic formula, 140, 212, 236
infant formula, 203–205, 210–212, 221,
241–242
lowering allergy risk for, 221
risk of atopic disease and, 241–242
soy-based formulas, 212–213
fragrance-free products, 171, 173, 176, 178
fragrances, artificial, 162–163, 165, 167, 169,
219
frenectomy, 206–207
fructose, 108, 111

G

galacto-oligosaccharides (GOS), 38–39
Gamma-Aminobutyric acid (GABA), 37–38
gardening, 158, 178
GBS (Group B *Streptococcus*), 54–56
genetically modified organisms (GMOs), 90,
102, 154–155
genetic home testing kits, 125
gestational diabetes, 112–113, 127
glucose, 109–110, 117–119
gluten, 3, 201, 213
GMOs, 90, 102, 154–155
good bacteria
dietary fibre and, 77–81
feeding of, 77–83
immune system development and, 47–48
in soil. *See* dirt and bacterial diversity
yoghurt and fermented foods, 81–83
GOS (galacto-oligosaccharides), 38–39
Greenpeace, 154
Green Works, 169–170
Group B *Streptococcus* (GBS), 54–56
growing healthy babies
birth choices, 181–196. *See also* birth
choices
breastfeeding, 197–216. *See also*
breastfeeding
chemicals, avoidance of, 147–178. *See
also* cleaning products; cosmetics;
organic and eco-products, benefits
for babies
immune system, baby's developing, 19–74.

See also allergies and atopic diseases;
antibiotics; microbiome
nutrition, supplements, and inflammation,
77–144. *See also* bacteria; fats and
fatty acids; good bacteria; sugar;
supplements
summary, 217–222

H

Hansen, Keith, 204
hay fever, 23–24, 46, 140. *See also* allergies
and atopic diseases
biggest effect on risk for, 233–243
development of, 24–27
health outcomes, 9–10, 13–15. *See also* risk,
relative and absolute
heart disease
antioxidants and, 124
fats and fatty acids, 88–89, 93
fructose and, 111
honey and, 114
Mediterranean diet and, 80
MTHFR mutation and, 124
saturated fats and, 100, 103–105
heavy metals, 166
heme iron, 130–131
Hibbeln, Joseph, 93
high-fructose corn syrup, 111
histone modification, 41–43. *See also*
epigenetics
home births, 181, 192–196
honey, 113–114
HPA axis, 183–184
Huggies products, 170–171
hydrolysed formula, 212
hygiene hypothesis, 27–28, 46–48
hypoallergenic formula, 140, 212, 236
hypothalamus gland, 183–184

I

immune system, 19–74
antibiotics, avoidance of, 51–74. *See also*
antibiotics
atopic diseases and allergies, 19–28. *See
also* allergies and atopic diseases
breastfeeding and, 198–200
hypersensitivity of, 25–28

iron, role in, 128
microbiome, 29–50
sugar's effect on, 110–113
vitamin D and, 127
independent farmers, 157
infant formula. *See* formula-feeding
infectious diseases, 46–48, 126, 163, 197, 199
inflammation, 19–74. *See also* nutrition;
supplements
fatty acids and, 91–96, 102–104, 114
sugar and, 110–113
inhalers, 20
innate lymphoid cells (ILCs), 199
insects, 156
insulin-like growth factor 1 (IGF-1), 101–102
integrative medicine, 8
International Fish Oil Standards (IFOS)
Program, 144
iodine, 132–134
iron, 128–131

J

junk foods, 107–108

K

Katz, Sandor: *The Art of Fermentation*, 83, 142
Keys, Ancel, 100
Kimberly-Clark Corp., 170–171
Kraamzorg, 205–206

L

lactation consultants, 206–207
lactic acid bacteria, 32. *See also* *Bifidobacteria*;
Lactobacilli
Lactobacilli, 32, 37–39, 59, 68–69, 138–140,
211
La Leche League (LLL), 206
lauric acid, 103–104, 199
leaky gut, 33, 35
leukaemia, 202
linoleic acid, 91–92
L-methylfolate, 124–125

M

maltodextrin, 117

maple syrup, 114
mast cells, 34
mastitis, 62–64
Mathew, Joseph, 64–66
meat
antibiotics in, 147–148
in babies' diets, 34
farming of, 96–97
fibre in, 79
in Mediterranean diet, 80
organic vs. conventional, 150
during pregnancy, 48, 134, 136
saturated fats in, 87–88, 99–102
medical research, 8–13
Mediterranean diet, 80–81, 88–89, 118, 121,
220
melatonin, 198
mental health, 8, 36–39, 183. *See also* brain
development
mercury, 97
meta-analyses, 9, 11–12
Metagenics FolaPro, 125
Methylisothiazolinone, 167, 169–171
microbiome, 29–50. *See also* allergies and
atopic diseases; antibiotics; immune
system
breastfeeding and, 201–202
cleaning products, effects on, 163
development of, 30–39
dirt and bacterial diversity. *See* dirt and
bacterial diversity
epigenetics and, 39–46. *See also* epigenetics
fatty acids and, 92
hygiene hypothesis, 46–48
moods and brain development, effects on,
36–39
MUFA-rich diet and, 88
overview, 6–7
probiotics and, 137–138
role of, 29–30
saturated fats and, 102
vaginal, 183–184, 221
milk. *See* breast milk; dairy consumption
monounsaturated fats (MUFA), 86–91, 100
moods and brain development, 36–39. *See
also* brain development
MTHFR mutation, 123–126

N

natural cleaning products, cosmetics and baby care products, 161–178. *See also* cleaning products; cosmetics

neural tubes, 122–123

New York State Department of Health, 164

non-heme iron, 130–131

nutrition. *See also* foods

fats, good and bad, 85–105. *See also* fats and fatty acids

feeding good bacteria, 77–83. *See also* bacteria; good bacteria

health and, 2–4

nutrients commonly deficient during pregnancy, 229–231

risk of atopic disease and, 235–238

sugar as cause of obesity and chronic disease, 107–120. *See also* sugar

supplements, pregnancy and, 121–144. *See also* supplements

nuts

ALA in, 94, 139

allergies to, 24

health benefits, 78, 80, 86–88, 90, 220

introducing into babies' diets, 214–215

vitamin E in, 137

zinc in, 132

O

observational studies, 9–11

oestrogens, 212–213

olive oil, 80, 87–89, 118, 120, 137, 172, 220

Olkin, Ingram, 151

omega-3 fatty acids

ALA, 94

DHA, 94–96

EPA, 94

organic foods and, 150–151, 158

pollution and, 96–99

PUFAs, 91–96

in supplements, 142–144

omega-6 fatty acids, 86–87, 90–96

organic and eco-products, benefits for babies,

147–159. *See also* cleaning products

animal farming, antibiotics in, 147–149

baby care products, 166–168, 176–178

infant formulas, 213

organic food, cost of, 155–159

organic food, is it healthier?, 149–155

overweight, 89, 112–113

oxytocin, 37, 203

P

palmitic acid, 103–104

palm oil, 99, 103–104

parabens, 162–163, 165–167, 171, 173

passive immunity, 199

peanut allergies, 139

penicillin, 148–149

perfumes. *See* essential oils; fragrances, artificial

personal care products, 165–166, 172–173

pesticides, 151–154, 219, 234–235

phthalates, 162, 165

pistachios, 90

pituitary glands, 183–184

plastics, BPA in, 43–44

pneumonia, 68

pollution

indoor air pollution, 161–163

seafood and, 96–99

polyunsaturated fats (PUFA), 86–87, 91–96

postpartum depression, 144

preeclampsia, 113, 127, 141

pregnancy. *See also* birth choices

choline intake, 135

cleaning products choice during, 162

DHA, 98–99, 143

essential oils during, 175

fish oil and, 142–143

folate supplements, 122–123

hygiene hypothesis and, 48

iodine intake, 133

iron intake, 129

mother's diet, effect on foetus of, 119–120

mother's immune system during, 27

nausea during, 133

pesticides, effect on foetus, 151–152

trans fats consumption, 105

vitamin E intake, 137

zinc intake, 131–132

Prevotella, 34

probiotics

antibiotics and, 66, 69–74

brain, effects on, 38

BV, treatment of, 57–58

- for children, 67–69, 215–216, 219
- for endometritis, 60–61
- in infant formulas, 211
- for mastitis, 62–64
- risk of atopic disease and, 235–238
- selecting a good supplement, 141–142
- side effects in critically ill, 70–71
- in supplements, 138–142
 - for surgical site infections, 61–62
 - for UTIs, 59–60
- processed foods, 101, 107–108, 117–118
- prolactin, 203
- propionate, 35–36, 45–47, 80–81

R

- randomised controlled trials (RCTs), 9–11
- rapeseed oil, 90–91
- recombinant bovine somatotropin (rBST/
rGBH), 102
- red meat, 87, 101
- relative risk, 12–13, 225–228
- Reynolds, Dearbhla: *The Cultured Club*,
82–83, 142
- risk, relative and absolute, 12–13, 225–228
- Royal College of Midwives, 193
- Royal College of Obstetricians and
Gynaecologists, 193

S

- safflower oil, 90
- saturated fats, 86–87, 99–104
- scents, artificial. *See* fragrances, artificial
- sea vegetables, 94, 133–134
- seeding, 185–186
- short-chain fatty acids (SCFAs), 35–36, 45–47,
80–81
- sinus infections, 67
- smoking, 44–45
- Sonett products, 176
- sore throats, 66
- soy-based formulas, 212–213
- stevia, 116
- Strachan, David, 46–47
- Streptococcus*, Group B, 54–56
- Streptococcus thermophilus*, 33
- sugar, 107–120
 - artificial sweeteners, 115–117

- in baby foods, 216
- baby's developing taste buds and, 119–120
- better sugars, 113–115
- controlling blood sugar, 117–119
- health effects of, 2–3
- high-fructose corn syrup, 111
- honey, 113–114
- in infant formulas, 213
- inflammation and gestational diabetes,
108–113
- intake of, 107–108
- maple syrup, 114
- sunflower oil, 90
- sunshine, vitamin D from, 126
- supplements, 77–144. *See also* nutrition
 - choline, 134–136
 - folate (vitamin B9), 122–126
 - healthy choices in, 219–220
 - iodine, 132–134
 - iron, 128–131
 - nutrients commonly deficient during
pregnancy, 229–231
 - omega-3 fatty acids and fish oil, 142–144,
219. *See also* fish oil; omega-3 fatty
acids
 - for pregnancy, 121–144
 - probiotics, 138–142. *See also* probiotics
 - risk of atopic disease and, 235–238
 - vitamin D, 126–128, 219
 - vitamin E, 136–137
 - zinc, 131–132
- surgical site infections, 61–62, 185
- sweet treats, healthy, 118–119

T

- taste buds, 119–120
- Teicholz, Nina: *The Big Fat Surprise*, 100
- T helper cells (Th cells), 25–27, 32, 94,
128–129
- thymus gland, 25, 33–34
- thyroid, 131
- Tissier, Henry, 30–31
- toll-like receptors (TLRs), 103
- tongue-tie, 206–207
- trans fats, 86–87, 104–105
- trehalose, 117
- triclosan, 163–164

U

- UNICEF, 210
- United Nations Human Rights Council, 154
- urinary tract infections (UTIs), 58–60
- US Centers for Disease Control and Prevention (CDC), 66
- US Food and Drug Administration (FDA), 105, 163, 166
- US National Academy of Medicine, 135
- US National Capital Poison Center, 174
- US National Institutes of Health (NIH), 93, 129
- UTIs (urinary tract infections), 58–60

V

- vaginal douching, 56–57
- vaginal vs. caesarean birth, 182–186. *See also* birth choices
- vagus nerve, 36–37
- van Lonkhuijsen, Myrte, 207–208
- vegetarian or vegan diets, 94
- vernix, 176–177
- vitamin B9, 122–126. *See also* folate
- vitamin C, 58, 130
- vitamin D, 126–128, 219
- vitamin E, 136–137
- volatile organic compounds (VOCs), 162–163

W

- walnuts, 90
- weaning, 34, 213–216
- weight-loss/gain/control, 89, 110, 112, 115, 202
- Whole Foods cleaning products, 171
- World Health Organization (WHO)
 - on antibiotic resistance, 148
 - on asthma, 20
 - on breastfeeding, 197, 200, 210, 214
 - on dioxin exposure, 168
 - on iodine deficiency, 133
 - on saturated fats, 101
 - on sugar, 107
 - on trans fats, 105
 - on zinc deficiency, 131

X

- xylitol, 116

Y

- yoghurt
 - brain, effect on, 38
 - for children, 68–69, 214, 220
 - good bacteria and, 81–83
 - IGF-1 and, 102

Z

- zinc, 131–132